

Montana Department of Public Health  
and Human Services

Recognizes that

**ACZ Laboratories, Inc.**  
**Steamboat Springs CO**

has completed the requirements for Montana certification and is licensed to analyze Montana's Public Drinking Water Supplies. See attached listing.

Montana Certification Number: CERT0083

Chemistry	Microbiology
12/31/2012	

Expiration Date:

Laboratory Certification Officer  
DPHHS Environmental Laboratory

Effective Date: 11/22/11



DEPARTMENT OF  
PUBLIC HEALTH AND HUMAN SERVICES  
STATE OF MONTANA  
ENVIRONMENTAL LABORATORY

---

**CERTIFIED DRINKING WATER PARAMETERS**


---

**ACZ Laboratories, Inc.**  
2773 Downhill Drive  
Steamboat Springs, CO  
Montana Certificate #: CERT0083  
Chemistry Expiration Date: 12/31/2012

---

**RADIOCHEMISTRY**

<u>Analyte</u>	<u>Method 1</u>
Gross Alpha	EPA 900.0
Gross Beta	EPA 900.0
Radium-226	EPA 903.1
Radium-228	EPA 904.0



**Montana Department of Public Health  
and Human Services  
Environmental Laboratory**

PO Box 4369 Helena MT 59604  
1400 Broadway Helena MT 59620

phone: 406-444-2642  
fax: 406-444-2617

Matt Sowards  
ACZ Laboratories, Inc.  
2773 Downhill Drive  
Steamboat Springs CO 80487-

11/22/2011

**MONTANA CERTIFICATE NUMBER CERT0083**

Dear Mr. Sowards

Your laboratory has been granted approval for the analysis of drinking water compliance samples in the State of Montana in accordance with the Administrative Rules of Montana, Title 37 Chapter 12 Subchapter 3, "Licensure of Laboratories Conducting Analyses of Public Water Supplies". The current parameter list and certificate are attached.

The parameters for which your laboratory is certified must be analyzed with EPA's approved or recommend (for secondary parameters) drinking water methods.

**The expiration date(s) for your Certificate is:**

Chem Expiration Date 12/31/2012

Micro Expiration Date

If you have any questions or concerns about you laboratory's parameter list, certificate or certification status, please feel free to contact me at 406-444-2642 or by e-mail at rleu2@mt.gov.

A handwritten signature in cursive script, appearing to read "Russell Lee".

State of Montana  
Environmental Laboratory  
Laboratory Certification Officer