ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

CHAIN of CUSTODY

Report to:

Name:	Address:
Company:	
E-mail:	Telephone:

Copy of Report to:

Name:	E-mail:
Company:	Telephone:

Invoice to:

Name:	Address:
Company:	
E-mail:	Telephone:

If sample(s) received past holding time (HT), or if insufficient HT remains to complete analysis before expiration, shall ACZ proceed with requested short HT analyses? YES ☐ NO ☐

If "NO" then ACZ will contact client for further instruction. If neither "YES" nor "NO" is indicated, ACZ will proceed with the requested analyses, even if HT is expired, and data will be qualified.

Are samples for SDWA Compliance Monitoring? Yes ☐ No ☐

If yes, please include state forms. Results will be reported to PQL for Colorado.

Sampler's Name: _____ **Sampler's site Information** **State** ☐ **Zip code** ☐ **Time Zone** ☐ ☐

PROJECT INFORMATION

Quote #:

Project/PO #:

Reporting state for compliance testing:

Check box if samples include NRC licensed material? ☐

ANALYSES REQUESTED ***(attach list or use quote number)***

SAMPLE IDENTIFICATION	DATE:TIME	Matrix	# of Containers								

Matrix: SW (Surface Water) · GW (Ground Water) · WW (Waste Water) · DW (Drinking Water) · SL (Sludge) · SO (Soil) · OL (Oil) · Other (Specify)

REMARKS

Please refer to ACZ's terms & conditions located on the reverse side of this COC.

RELINQUISHED BY:	DATE:TIME	RECEIVED BY:	DATE:TIME